


Amendments to the Claims

1. (Currently Amended). A compound having a formula I,



I

or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof,  
wherein:

A<sub>1</sub> is: CH<sub>2</sub>, O or S;

A<sub>2</sub> and A<sub>3</sub> are independently: CH<sub>2</sub>, O or S;

E<sub>1</sub>, E<sub>2</sub>, E<sub>3</sub>, E<sub>4</sub> and E<sub>5</sub> are each CH or substituted carbon bearing A<sub>2</sub> or and R<sup>3</sup>; or at least one of E<sub>1</sub>, E<sub>2</sub>, E<sub>3</sub>, E<sub>4</sub> and E<sub>5</sub> is nitrogen and each of others being CH or substituted carbon bearing A<sub>2</sub> or and R<sup>3</sup>;

Q is: -C(O)OR<sup>6</sup>;

Y is: a bond or C<sub>1</sub>-C<sub>6</sub> alkyl;

Z is: a) phenyl-T-pyridinyl or naphthyl-T-pyridinyl each optionally substituted with one or more R<sup>7</sup>; wherein T is a single bond, C=C=O, or O;;

n is: 1, 2, 3, 4, 5 or 6

p is: 1 or 2;

R<sup>1</sup> and R<sup>2</sup> are each independently:

hydrogen,  
C<sub>1</sub>-C<sub>6</sub> alkyl,  
and;

R<sup>3</sup> is: hydrogen,  
nitro;  
cyano;  
hydroxyl;  
halo, or  
haloalkyl;  
haloalkyloxy;  
aryloxy;  
C<sub>1</sub>-C<sub>6</sub> alkyl; or  
C<sub>1</sub>-C<sub>6</sub> alkoxy, or  
C<sub>2</sub>-C<sub>8</sub> cycloalkyl;

R<sup>4</sup> and R<sup>5</sup> are each hydrogen;

R<sup>6</sup> is: hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl or aminoalkyl;

;

R<sup>7</sup> is: hydrogen,  
oxo;  
nitro;  
cyano;  
hydroxyl;  
halo,  
haloalkyl,  
haloalkyloxy,  
aryloxy,  
arylalkyl,

aminoalkyl,  
C<sub>1</sub>-C<sub>6</sub> alkyl, or  
C<sub>1</sub>-C<sub>6</sub> alkoxy;  
(CH<sub>2</sub>)<sub>n</sub>C<sub>2</sub>-C<sub>8</sub> cycloalkyl,  
C(O)R<sup>9</sup>;  
C(O)OR<sup>9</sup>;  
C(=NOR<sup>8</sup>)R<sup>9</sup>;  
CR<sup>8</sup>(OH)R<sup>9</sup>;  
[C(R<sup>8</sup>)<sub>2</sub>]R<sup>9</sup>;  
OR<sup>9</sup>;  
SR<sup>9</sup> or  
S(O)<sub>p</sub>R<sup>9</sup>;

R<sup>8</sup> is: hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl; and

R<sup>9</sup> is: hydrogen,

C<sub>1</sub>-C<sub>6</sub> alkyl,  
C<sub>2</sub>-C<sub>8</sub> cycloalkyl,

aryl,


heteroaryl or

heteroeyethyl,

wherein alkyl, cycloalkyl, aryl, heteroaryl or heteroeyethyl being optionally substituted with one or more substituents selected from the group consisting of:

hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, o xo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy and C<sub>2</sub>-C<sub>8</sub> cycloalkyl.

2. (Currently Amended). The compound of Claim 1, wherein the compound is represented by a compound of formula II,



or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof,  
wherein:

$\text{A}_1$  is:  $\text{CH}_2$ , O or S;

$\text{A}_2$  is: O or S or  $\text{CH}_2$ ;

Q is:  $-\text{C}(\text{O})\text{OR}^6$ ;

Y is: a bond or  $\text{C}_1\text{-C}_6$  alkyl;

Z is: phenyl-T-pyridinyl or naphthyl-T-pyridinyl each optionally substituted with one or more  $\text{R}^7$ ; wherein T is a single bond, C  $\text{C}=\text{O}$  or O;;

n is: 1, 2, 3, 4, 5 or 6

p is: 1 or 2;

$\text{R}^1$  and  $\text{R}^2$  are each independently:

hydrogen,

$\text{C}_1\text{-C}_6$  alkyl

;

$\text{R}^3$  is: hydrogen,

nitro,

cyano,

hydroxyl,

halo, or

haloalkyl,

haloalkyloxy,  
aryloxy,  
C<sub>1</sub>-C<sub>6</sub>alkyl,  
C<sub>4</sub>-C<sub>6</sub>alkoxy, or  
C<sub>3</sub>-C<sub>8</sub>cycloalkyl;

R<sup>4</sup> and R<sup>5</sup> are each hydrogen;

R<sup>6</sup> is: hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl or aminoalkyl;

R<sup>7</sup> is: hydrogen,

oxo;  
nitro;  
cyano;  
hydroxyl,  
halo,  
haloalkyl,  
haloalkyloxy,  
aryloxy,  
arylalkyl,  
aminoalkyl,  
C<sub>1</sub>-C<sub>6</sub> alkyl,  
C<sub>1</sub>-C<sub>6</sub> alkoxy; or  
(CH<sub>2</sub>)<sub>n</sub>C<sub>2</sub>-C<sub>8</sub>cycloalkyl,  
C(O)R<sup>8</sup>,  
C(O)OR<sup>9</sup>,  
C(=NOR<sup>8</sup>)R<sup>9</sup>,  
CR<sup>8</sup>(OH)R<sup>9</sup>,  
C[-C(R<sup>8</sup>)<sub>2</sub>]R<sup>9</sup>,  
OR<sup>9</sup>,  
SR<sup>9</sup>-or

$S(O)_pR^9;$

$R^8$  is: hydrogen or  $C_1-C_6$  alkyl; and

$R^9$  is: hydrogen,

$C_1-C_6$  alkyl,

$C_2-C_8$  cycloalkyl,

aryl,


heteroaryl or

heterocyclyl,

wherein alkyl, cycloalkyl, aryl, heteroaryl or heterocyclyl being optionally substituted with one or more substituents selected from the group consisting of:

hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy,  $\text{exo-}C_1-C_6$  alkyl,  $C_1-C_6$  alkoxy and  $C_2-C_8$  cycloalkyl.

3. (Currently Amended). The compound of Claim 2, wherein Z is an optionally substituted structural formula selected from following:



wherein T is:

a bond


; and

rings g and h are each optionally substituted with one or more groups independently selected from the group consisting of:

hydrogen,  $\text{exo}$ , nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, arylalkyl, aminoalkyl,  $S(O)_pR^9$ ,  $C_1-C_6$  alkyl, and  $C_1-C_6$  alkoxy and  $(\text{CH}_2)_nC_2-C_8$  cycloalkyl.

4. (Cancelled)

5. (Withdrawn). The compound of Claim 2, wherein the compound is represented by structural formula IV,



or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:  
 $A_1$  and  $A_2$  are respectively:

O and O,

$\text{CH}_2$  and O,

$\text{CH}_2$  and S,

O and S or

S and O;

$m$  is: 1 or 2;

$R^1$  is:  $\text{C}_1\text{-}\text{C}_3$  alkyl;


$R^3$  is: hydrogen, halo or  $\text{C}_1\text{-}\text{C}_6$  alkyl;

$R^6$  and  $R^9$  are each independently: hydrogen or  $\text{C}_1\text{-}\text{C}_6$  alkyl;

T is: a bond,  $-\text{O}-$ ,  $-\text{C}(\text{O})-$ ,  $-\text{S}(\text{O})-\text{S}(\text{O})_2-$ ,  $-\text{C}(=\text{CH}_2)-$ ,  $-\text{C}(\text{=NOH})-$  or  $-\text{CH}(\text{OH})-$ ; and rings b and c are each optionally substituted with one or more groups independently selected from:

hydrogen, oxo, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, arylalkyl, aminoalkyl,  $\text{S}(\text{O})_2\text{R}^9$ ,  $\text{C}_1\text{-}\text{C}_6$  alkyl,  $\text{C}_1\text{-}\text{C}_6$  alkoxy and  $(\text{CH}_2)_n\text{C}_3\text{-}\text{C}_8$  cycloalkyl.

6. (Withdrawn). The compound of Claim 5, wherein the compound is represented by structural formula V,



or a pharmaceutically acceptable salt, solvate or hydrate or stereoisomer thereof, wherein:


T is: a bond, -O- or -C(O)-;

R¹ is: methyl, ethyl or cyclopropyl;

R³ is: methyl or ethyl; and

rings b and c are each optionally substituted with one or more substituent independently selected from the group consisting of: hydrogen, Cl, Br, CF<sub>3</sub>, OCF<sub>3</sub>, methyl, ethyl, isopropyl, N(CH<sub>3</sub>)<sub>2</sub>, S(O)<sub>2</sub>CH<sub>3</sub>, methoxy and cyclopropyl.

7. (Withdrawn). The compound of Claim 6, wherein the compound is represented by a structural formula VI,




or a pharmaceutically acceptable salt, solvate or hydrate thereof.

8. (Canceled)

9. (Canceled)

10. (Currently amended). The compound of Claim 2, wherein the compound is represented by structural formula VIII,



VIII

or a pharmaceutically acceptable salt, salt, hydrate or stereoisomer thereof, wherein:

A<sub>1</sub> and A<sub>2</sub> are respectively:

O and O,

CH<sub>2</sub> and O,

CH<sub>2</sub> and S,

O and S or

S and O;

m is: 1 or 2;

R<sup>1</sup> is: C<sub>1</sub>-C<sub>3</sub> alkyl; and

R<sup>3</sup> is: hydrogen, halo or C<sub>1</sub>-C<sub>6</sub> alkyl;


R<sup>6</sup> and R<sup>9</sup> are each independently: hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl;

T is: a bond or -O-, and

ring b is optionally substituted with one or more groups independently selected from:

hydrogen, exo, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, arylalkyl, aminoalkyl, S(O)<sub>2</sub>R<sup>9</sup>, C<sub>1</sub>-C<sub>6</sub> alkyl, and C<sub>1</sub>-C<sub>6</sub> alkoxy-and (CH<sub>2</sub>)<sub>n</sub>C<sub>2</sub>-C<sub>8</sub> cycloalkyl.

11. (Currently Amended). The compound of Claim 10, wherein the compound is represented by structural formula IX,




or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof,  
wherein:

R¹ is C<sub>1</sub>-C<sub>3</sub> alkyl;

R³ is: hydrogen, halo or C<sub>1</sub>-C<sub>4</sub> alkyl;


ring b is optionally substituted with one or more groups independently selected from the group consisting of: hydrogen, halo, haloalkyl, haloalkyloxy and C<sub>1</sub>-C<sub>6</sub> alkyl.

12. (Currently Amended). The compound of Claim 11, wherein the compound is represented by structural formula X,




or a pharmaceutically acceptable salt, solvate or hydrate thereof.

13. (Previously Presented). The compound of Claim 11, wherein the compound is represented by structural formula XI,



14. (Withdrawn). The compound of Claim 2, wherein the compound is represented by structural formula XII,



or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:  
A<sub>1</sub> and A<sub>2</sub> are respectively:

O and O,

CH<sub>2</sub> and O,

CH<sub>2</sub> and S,

O and S or

S and O;

m is: 1 or 2;

R<sup>1</sup> is: C<sub>1</sub>-C<sub>3</sub> alkyl; and

R<sup>3</sup> is: hydrogen, halo or C<sub>1</sub>-C<sub>6</sub> alkyl;


R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>9</sup> are each independently: hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl;

rings k and l are each optionally substituted with one or more groups independently selected from:

hydrogen, oxo, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, arylalkyl, aminoalkyl, S(O)<sub>2</sub>R<sup>9</sup>, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy and (CH<sub>2</sub>)<sub>n</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl.

15. (Canceled)

16. (Currently Amended). The compound of Claim 2, wherein the compound is represented by structural formula XIII,




XIII

or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof,  
wherein

$m$  is 1, 2, 3, or 4.

17. (Canceled).

18. (Withdrawn). The compound of Claim 16, wherein the compound is represented by structural formula XV,



XV

or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:


T is: a bond, O or C(O);

$\text{R}^2$  is: methyl, ethyl or cyclopropyl;

$\text{R}^3$  is: methyl or ethyl; and

rings b and c are each optionally substituted with one or more substituent independently selected from the group consisting of: hydrogen, Cl, Br, CF<sub>3</sub>, OCF<sub>3</sub>, N(CH<sub>3</sub>)<sub>2</sub>, S(O)<sub>2</sub>CH<sub>3</sub>, methyl, ethyl, isopropyl, methoxy and cyclopropyl.

19. (Currently Amended). The compound of Claim 2, wherein the compound is represented by structural formula XVI,




xvi

or a pharmaceutically acceptable salt-salt, solvate, hydrate or stereoisomer thereof, wherein Y is a branched alkyl.

20. (Canceled).

21. (Withdrawn). The compound of Claim 19, wherein the compound structural formula XVIII.



XVIII

or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:

T is: a bond, O or C(O);


$R^3$  is: methyl or ethyl:

$R^{9a}$  and  $R^{9b}$  are each independently hydrogen, methyl or ethyl, wherein at least one of  $R^{9a}$  and  $R^{9b}$  being methyl or ethyl;

rings b and c are each optionally substituted with one or more substituent independently selected from the group consisting of: hydrogen, Cl, Br,  $CF_3$ ,  $OCF_3$ ,  $S(O)_2CH_3$ ,  $N(CH_3)_2$ , methyl, ethyl, isopropyl, methoxy and cyclopropyl.

22. (Canceled).

23. (Withdrawn). The compound of Claim 1, wherein the compound is a compound of formula XX,



or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:  
 $A_1$  is: a bond,  $CH_2$ , O or S, and wherein  $A_1$  and  $R^4$  or  $A_1$  and  $R^5$  together being a 3- to 6-membered carbocyclyl when  $A_1$  is a carbon;

$A_2$  is: O or S or  $CH_2$ ;

$Q$  is:  $-C(O)OR^6$ , or  $R^{6A}$ ;

$Y$  is: a bond,  $C_1$ - $C_6$  alkyl or  $C_3$ - $C_6$  cycloalkyl;

- $Z$  is:
- a) aryl;
  - b) a 5- to 10-membered heteroaryl wherein the heteroaryl containing at least one heteroatom selected from N, O or S,
  - c) bi-aryl, wherein biaryl being defined as aryl substituted with another aryl or aryl substituted with heteroaryl, or

- d) bi-heteroaryl, wherein bi-heteroaryl being defined as heteroaryl substituted with another heteroaryl, or heteroaryl substituted with aryl, and wherein aryl, heteroaryl, bi-aryl and bi-heteroaryl being optionally substituted with one or more groups independently selected from R<sup>7</sup>;

n is: 1, 2, 3, 4, 5 or 6

p is: 1 or 2;

r is: 1, 2, 3, or 4;

R<sup>1</sup> and R<sup>2</sup> are each independently:

hydrogen,

haloalkyl,

C<sub>1</sub>-C<sub>6</sub> alkyl,

(CH<sub>2</sub>)<sub>n</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl, or

R<sup>1</sup> and R<sup>2</sup> form a 4- to 8-membered nonaromatic carbocyclic ring; and wherein at least one of R<sup>1</sup> and R<sup>2</sup> is alkyl or cycloalkyl, and;

R<sup>3</sup> is: hydrogen,

nitro,

cyano,

hydroxyl,

halo,

haloalkyl,

haloalkyloxy,

aryloxy,

C<sub>1</sub>-C<sub>6</sub> alkyl,


C<sub>1</sub>-C<sub>6</sub> alkoxy, or

C<sub>3</sub>-C<sub>8</sub> cycloalkyl;

R<sup>4</sup> and R<sup>5</sup> are each independently: hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl;

$R^6$  is: hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl or aminoalkyl;

$R^{6A}$  is: carboxamide, sulfonamide, acylsulfonamide, tetrazole,



$R^7$  is: hydrogen,

oxo,

nitro,

cyno,

hydroxyl,

halo,

haloalkyl,

haloalkyloxy,

aryloxy,

arylalkyl,

aminoalkyl,

C<sub>1</sub>-C<sub>6</sub> alkyl,

C<sub>1</sub>-C<sub>6</sub> alkoxy,

(CH<sub>2</sub>)<sub>n</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

C(O)R<sup>9</sup>,

C(O)OR<sup>9</sup>,

C(=NOR<sup>8</sup>)R<sup>9</sup>,

CR<sup>8</sup>(OH)R<sup>9</sup>,

$C[=C(R^8)_2]R^9$ ,

$OR^9$ ,

$SR^9$  or

$S(O)pR^9$ ;

$R^8$  is: hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl; and

$R^9$  is: hydrogen,

C<sub>1</sub>-C<sub>6</sub> alkyl,

C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

aryl,

heteroaryl or

heterocyclyl,


wherein alkyl, cycloalkyl, aryl, heteroaryl or heterocyclyl being optionally substituted with one or more substituents selected from the group consisting of:

hydrogen, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy and C<sub>3</sub>-C<sub>8</sub> cycloalkyl.

24. (Cancelled).

25. (Cancelled).

26. (Withdrawn). The compound of Claim 23, wherein the compound is a compound of structural formula XXII,



or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:


T is: a bond, -O- or -C(O)-;

R<sup>1</sup> is: methyl, ethyl or cyclopropyl;

R<sup>3</sup> is: methyl or ethyl; and

rings b and c are each optionally substituted with one or more substituent independently selected from the group consisting of: hydrogen, Cl, Br, CF<sub>3</sub>, OCF<sub>3</sub>, S(O)<sub>2</sub>CH<sub>3</sub>, N(CH<sub>3</sub>)<sub>2</sub>, methyl, ethyl, isopropyl, methoxy and cyclopropyl.

27. (Withdrawn). The compound of Claim 1, wherein the compound is a compound of structural formula XXIII,



or a pharmaceutically acceptable salt, solvate, hydrate or stereoisomer thereof, wherein:

A<sub>1</sub> and A<sub>2</sub> are respectively:

O and O,

CH<sub>2</sub> and O,

CH<sub>2</sub> and S,

O and S or

S and O;

m is: 1, 2, 3 or 4;

R<sup>1</sup> is: C<sub>1</sub>-C<sub>3</sub> alkyl; and

R<sup>3</sup> is: hydrogen, halo or C<sub>1</sub>-C<sub>6</sub> alkyl;

R<sup>6</sup> and R<sup>9</sup> are each independently: hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl;

T is: a bond, -O-, -C(O)-, -S(O)-S(O)<sub>2</sub>-, -C(=CH<sub>2</sub>)-, -C(=NOH)- or -CH(OH)-; and

rings b and c are each optionally substituted with one or more groups independently selected from:

hydrogen, oxo, nitro, cyano, hydroxyl, halo, haloalkyl, haloalkyloxy, aryloxy, arylalkyl, aminoalkyl, S(O)<sub>2</sub>R<sup>9</sup>, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy and (CH<sub>2</sub>)<sub>n</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl.






28. (Cancelled).

29. (Currently Amended). A compound of Claim 1 selected from the group consisting of:






	Structure	Name
29		3-{4-[3-(3-Benzoyl-5-ethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
30		{4-[3-(3-Benzoyl-5-ethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid
31		Chiral 3-{4-[3-(3-Benzoyl-5-chloro-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
32		Chiral {4-[3-(3-Benzoyl-5-chloro-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid

	Structure	Name
33		3-{4-[3-(3-Benzoyl-5-trifluoromethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
34		{4-[3-(3-Benzoyl-5-trifluoromethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid
35		3-{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
36		3-{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-butoxy]-2-ethyl-phenyl}-propionic acid
37		{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid

	Structure	Name
38		3-{2-Methyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)butoxy]phenyl}-propionic acid Chiral
39		3-{2-Ethyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)butoxy]phenyl}-propionic acid Chiral
40		3-{2-Ethyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)butoxy]phenyl}-propionic acid Chiral
41		3-{2-Methyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)propoxy]phenyl}-propionic acid (trifluoroacetic acid salt)
42		3-{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)propoxy]-2-methylphenyl}-propionic acid






	Structure	Name
43		3-{4-[2-(5-Chloro-3-phenoxy)-pyridin-2-ylamino]-ethoxy}-2-methyl-phenyl-propionic acid
44		3-{4-[3-Benzoyl-5-ethyl-pyridin-2-yloxy)-propoxy]-2-methyl-phenyl}-propionic acid
45		Chiral 3-{2-Methyl-4-[3-(6-methyl-2-phenoxy-pyridin-3-yloxy)-butoxy]-phenyl}-propionic acid
49		Chiral 3-{4-[3-(4-Ethyl-2-pyridin-2-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
50		Chiral {4-[3-(4-Ethyl-2-pyridin-2-yl-phenoxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid







	Structure	Name
51		3-{2-Ethyl-4-[3-(4-ethyl-2-pyridin-2-yl-phenoxy)-butoxy]-phenyl}-propionic acid
52		3-{4-[3-(4-Chloro-2-pyridin-2-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
53		3-{2-Methyl-4-[3-(2-pyridin-2-yl-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid
54		3-{2-Ethyl-4-[3-(2-pyridin-2-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid
55		3-{4-[3-(4-Ethyl-2-pyridin-3-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
56		3-{4-[3-(4-Chloro-2-pyridin-3-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid







	Structure	Name
57		3- {4-[3-(4-Ethyl-2-pyridin-4-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid Chiral
58		3- {2-Methyl-4-[3-(2-pyridin-4-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid Chiral
59		3- {2-Ethyl-4-[3-(2-pyridin-4-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid Chiral
90		3- {4-[3-(3-Benzoyl-5-ethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
91		{4-[3-(3-Benzoyl-5-ethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid


	Structure		Name
92		Chiral	3-{4-[3-(3-Benzoyl-5-chloro-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
93		Chiral	{4-[3-(3-Benzoyl-5-chloro-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid
94		Chiral	3-{4-[3-(3-Benzoyl-5-trifluoromethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid
95		Chiral	{4-[3-(3-Benzoyl-5-trifluoromethyl-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid
96		Chiral	3-{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-butoxy]-2-methyl-phenyl}-propionic acid

	Structure	Name
97		3-{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-butoxy]-2-ethyl-phenyl}-propionic acid
98		{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid
99		3-{2-Methyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)-butoxy]-phenyl}-propionic acid
100		3-{2-Ethyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)-butoxy]-phenyl}-propionic acid
101		3-{2-Ethyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)-butoxy]-phenyl}-propionic acid


	Structure	Name
102		3-{2-Methyl-4-[3-(3-phenoxy-5-trifluoromethylpyridin-2-yloxy)-propoxy]-phenyl}-propionic acid (trifluoroacetic acid salt)
103		3-{4-[3-(5-Chloro-3-phenoxy-pyridin-2-yloxy)-propoxy]-2-methyl-phenyl}-propionic acid
104		3-{4-[2-(5-Chloro-3-phenoxy-pyridin-2-ylamino)-ethoxy]-2-methyl-phenyl}-propionic acid
105		3-{4-[3-Benzoyl-5-ethylpyridin-2-yloxy)-propoxy]-2-methyl-phenyl}-propionic acid
106		Chiral 3-{2-Methyl-4-[3-(6-methyl-2-phenoxy-pyridin-3-yloxy)-butoxy]-phenyl}-propionic acid

	Structure	Name
110		Chiral 3- {4-[3-(4-Ethyl-2-pyridin-2-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
111		Chiral {4-[3-(4-Ethyl-2-pyridin-2-yl-phenoxy)-butoxy]-2-methyl-phenylsulfanyl}-acetic acid
112		Chiral 3- {2-Ethyl-4-[3-(4-ethyl-2-pyridin-2-yl-phenoxy)-butoxy]-phenyl}-propionic acid
113		Chiral 3- {4-[3-(4-Chloro-2-pyridin-2-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
114		Chiral 3- {2-Methyl-4-[3-(2-pyridin-2-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid
115		Chiral 3- {2-Ethyl-4-[3-(2-pyridin-2-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid

	Structure	Name
116		3-{4-[3-(4-Ethyl-2-pyridin-3-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
117		3-{4-[3-(4-Chloro-2-pyridin-3-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
118		3-{4-[3-(4-Ethyl-4-yl-phenoxy)-butoxy]-2-methyl-phenyl}-propionic acid
119		3-{2-Methyl-4-[3-(2-pyridin-4-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid
120		3-{2-Ethyl-4-[3-(2-pyridin-4-yl-4-trifluoromethyl-phenoxy)-butoxy]-phenyl}-propionic acid
141		(R)-3-(4-{3-[4-ethyl-2-(pyridine-2-carbonyl)-phenoxy]-butoxy}-2-methyl-phenyl)-propionic acid

	Structure	Name
175	 Chiral	(R)- 3-{4-[3-(4-chloro-2-pyridin-3-yl-phenoxy)butoxy]-2-methyl-phenyl}-propionic acid

30. (Withdrawn). The compound of Claim 29, wherein the compound is



or a pharmaceutically acceptable salt, solvate or hydrate thereof.

31. (Currently Amended). A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound of Claim 1 or a pharmaceutically acceptable salt, salt, solvate or hydrate thereof.

- 32. (Canceled).
- 33. (Canceled).
- 34. (Canceled).
- 35. (Canceled).
- 36. (Canceled).
- 37. (Canceled).
- 38. (Canceled).
- 39. (Canceled).
- 40. (Canceled).
- 41. (Canceled).
- 42. (Canceled).

43. (Previously Presented). A method for lowering blood-glucose in a mammal in need thereof comprising the step of administering an effective amount of a compound of Claim 1.

44. (Canceled).

45. (Canceled).

46. (Canceled).

47. (Canceled).

48. (Canceled).

49. (Canceled)